

# Product data sheet **TS 1000 C** \*



Overhead door closer with link arm for single leaf doors with a leaf width of up to 950 mm

## **AREAS OF APPLICATION**

- ightarrow Right and left single-action doors for interior use
- ightarrow Single-action doors up to 950 mm leaf width
- ightarrow Door leaf installation hinge side and transom installation opposite hinge side
- ightarrow Door leaf installation opposite hinge side in parallel arm installation possible



## **PRODUCT FEATURES**

- ightarrow Variable closing force of EN2 or EN3 by turning the bearing block around
- ightarrow Can be used for right and left hand doors without conversion
- ightarrow Hydraulic latching action which accelerates the door shortly before it is closed
- ightarrow Closing speed can be individually adjusted

## TECHNICAL DATA

| Productname                                 | TS 1000 C *   |  |  |  |
|---|---|--|--|--|
| Closing force in accordance with EN 1154    | EN 2/3  |  |  |  |
| Leaf width (max.)                           | 950 mm  |  |  |  |
| Type of installation                        | Door leaf installation hinge side, Transom installation opposite hinge side, Door leaf installation opposite hinge side |  |  |  |
| Opening angle (max.)                        | 180 °   |  |  |  |
| Identical design for DIN left and DIN right | Yes   |  |  |  |
| Standard conformity                         | EN 1154:1996/A1:2002/AC:2006  |  |  |  |
| Suitability for fire protection doors       | Yes   |  |  |  |
| Length                                      | 215 mm  |  |  |  |
| Width                                       | 44 mm   |  |  |  |
| Height                                      | 52 mm   |  |  |  |
| Closing force adjustable                    | Yes, via installation   |  |  |  |
| Adjustable closing speed                    | Yes   |  |  |  |
| Latching action adjustable                  | Yes, via link arm   |  |  |  |
| Back check integrated                       | No  |  |  |  |
| Position of closing force adjustment        | Mounting position   |  |  |  |
| Smoke switch integrated                     | No  |  |  |  |

#### **VARIANTS / ORDER INFO**

| Designation         | Description   | ldent-<br>No. | Colour              | Closing force in<br>accordance with EN<br>1154 | Dimensions          |
|---------------------|---|---------------|---------------------|--|---------------------|
| GEZE TS<br>1000 C * | Overhead door closer with link arm for single<br>leaf doors with a leaf width of up to 950 mm | 165132        |                     | EN 2/3   | 215 x 44 x<br>52 mm |
| GEZE TS<br>1000 C * | Overhead door closer with link arm for single<br>leaf doors with a leaf width of up to 950 mm | 101765        | silver-<br>coloured | EN 2/3   | 215 x 44 x<br>52 mm |
| GEZE TS<br>1000 C * | Overhead door closer with link arm for single<br>leaf doors with a leaf width of up to 950 mm | 119573        | black RAL<br>9005   | EN 2/3   | 215 x 44 x<br>52 mm |
| GEZE TS<br>1000 C * | Overhead door closer with link arm for single<br>leaf doors with a leaf width of up to 950 mm | 101767        | white RAL<br>9016   | EN 2/3   | 215 x 44 x<br>52 mm |
| GEZE TS<br>1000 C * | Overhead door closer with link arm for single<br>leaf doors with a leaf width of up to 950 mm | 101770        | brass-<br>coloured  | EN 2/3   | 215 x 44 x<br>52 mm |
|                     | 0   | 101770        |                     | EN 2/3   |                     |



| Designation         | Description   | ldent-<br>No. | Colour              | Closing force in<br>accordance with EN<br>1154 | Dimensions          |
|---------------------|---|---------------|---------------------|--|---------------------|
| GEZE TS<br>1000 C * | Overhead door closer with link arm for single<br>leaf doors with a leaf width of up to 950 mm | 101769        | according to<br>RAL | EN 2/3   | 215 x 44 x<br>52 mm |
| GEZE TS<br>1000 C * | Overhead door closer with link arm for single<br>leaf doors with a leaf width of up to 950 mm | 165070        |                     | EN 2/3   | 215 x 44 x<br>52 mm |
| GEZE TS<br>1000 C * | Overhead door closer with link arm for single<br>leaf doors with a leaf width of up to 950 mm | 101766        | dark bronze         | EN 2/3   | 215 x 44 x<br>52 mm |
| GEZE TS<br>1000 C * | Overhead door closer with link arm for single<br>leaf doors with a leaf width of up to 950 mm | 165210        |                     | EN 2/3   | 215 x 44 x<br>52 mm |
| GEZE TS<br>1000 C * | Overhead door closer with link arm for single<br>leaf doors with a leaf width of up to 950 mm | 165071        |                     | EN 2/3   | 215 x 44 x<br>52 mm |
| GEZE TS<br>1000 C * | Overhead door closer with link arm for single<br>leaf doors with a leaf width of up to 950 mm | 179139        | silver-<br>coloured | EN 2/3   | 215 x 44 x<br>52 mm |

# PART

## LINK ARM TS 1500 / 1000 C

Standard link arm



| Designation                                  | Description | Ident-No. | Colour           |
|--|-------------|-----------|------------------|
| Link arm TS 1500/1000 C *                    | Standard    | 101882    | according to RAL |
| Link arm TS 1500/1000 C *                    | Standard    | 101881    | white RAL 9016   |
| Link arm TS 1500/1000 C                      | Standard    | 101878    | silver-coloured  |
| Link Arm Silver TS 1000 C/1500 CN (188145) * | Standard    | 188145    | silver-coloured  |

## CLOSER BODY TS 1000 C \*

Basic body for overhead door closer with link arm EN 2/3





\* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.