

Product data sheet TS 3000 EC *



Overhead door closer with guide rail for single leaf doors up to 950 mm leaf width

AREAS OF APPLICATION

- → Fire and smoke protection doors
- → Right and left single-action doors
- → Single-action doors up to 950 mm leaf width
- ightarrow Door leaf and transom installation on the hinge and opposite hinge side

TS 3000 EC



PRODUCT FEATURES

- → Closing force with variable adjustment from the side
- ightarrow Closing seed can be adjusted from the front via valve
- \rightarrow Latching action can be adjusted from the front via valve
- ightarrow Closing speed can be individually adjusted
- → Door closer, can be used for right and left hand doors
- → Door closer, can be used for leaf and transom installation
- ightarrow Decreasing opening torque according to BS 8300

TECHNICAL DATA

TECHNICAL DATA			
Productname	TS 3000 EC * EN 2 - 3		
Closing force in accordance with EN 1154			
Leaf width (max.)	950 mm		
Type of installation	Door leaf installation hinge side, Transom installation opposite hinge side, Door leaf installation opposite hinge side, Transom installation hinge side		
Opening angle (max.)	180°		
Standard conformity	EN 1154:1996/A1:2002/AC:2006		
Suitability for fire protection doors	Yes		
Mounting plate with hole pattern in accordance with EN 1154 supplement	Yes		
Length	226 mm		
Width	46 mm		
Height	60 mm		
Closing force adjustable	Yes, stepless		
Adjustable closing speed	Yes		
Latching action adjustable	Yes, via valve		
Back check integrated	No		
Position of closing force adjustment	At the side		
Safety valve againts overload	Yes		
Thermo-control valves	Yes		
Smoke switch integrated	No		



VARIANTS / ORDER INFO

Designation	Description	Ident- No.	Colour	Closing force in accordance with EN 1154	Dimensions
GEZE TS 3000 EC closer *	Size EN 2-3 (without guide rail and lever)	126139	according to RAL	EN 2 - 3	226 x 46 x 60 mm
GEZE TS 3000 EC closer *	Size EN 2-3 (without guide rail and lever)	126137	dark bronze	EN 2 - 3	226 x 46 x 60 mm
GEZE TS 3000 EC closer *	Size EN 2-3 (without guide rail and lever)	126136	silver-coloured	EN 2 - 3	226 x 46 x 60 mm

INSTALLATION MATERIAL

MOUNTING PLATE DOOR CLOSER

for TS 3000 with hole pattern according to DIN EN 1154 Supplement 1



Designation	Description	Ident-No.	Colour	Dimensions
Mounting plate door closer	for TS 3000 with hole pattern according to DIN EN 1154 Supplement 1	011232	dark bronze	226 x 60 x 5 mm
Mounting plate door closer	for TS 3000 with hole pattern according to DIN EN 1154 Supplement 1	011233	white RAL 9016	226 x 60 x 5 mm
Mounting plate door closer *	for TS 3000 with hole pattern according to DIN EN 1154 Supplement 1	135237	black RAL 9005	226 x 60 x 5 mm
Mounting plate door closer	for TS 3000 with hole pattern according to DIN EN 1154 Supplement 1	011230	silver-coloured	226 x 60 x 5 mm
Mounting plate door closer	for TS 3000 with hole pattern according to DIN EN 1154 Supplement 1	011234	according to RAL	226 x 60 x 5 mm

^{*} The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.