


Product data sheet

OL Line – Chain opener

250 *



Manual chain opener with an opening width of 250 mm

AREAS OF APPLICATION

- Convenient daily ventilation for rooms and staircases
- Inward and outward opening bottom-hung and top-hung windows
- Coupling and operation of several windows possible
- Installation on wooden, PVC or aluminium windows using the corresponding mounting plate
- Leaf and frame installation

PRODUCT FEATURES

- The manual operator Midi 250 can be used for variable ventilation settings
- Offers simple and reliable opening, even for windows that are hard to reach
- Simple installation and operation

TECHNICAL DATA

Productname	OL Line – Chain opener 250 *
Opening width (max.)	380 mm
Leaf width (min.)	100 mm
Leaf height (min.)	500 mm
Length	230 mm
Width	68 mm

VARIANTS / ORDER INFO

Designation	Ident-No.	Dimensions	Leaf width (min.)	Leaf width (max.)
OL Line – Chain opener 250 *	162358	230 x 68 mm	100 mm	2000 mm
OL Line – Chain opener 250 *	162357	230 x 68 mm	100 mm	2000 mm
OL Line – Chain opener 250 *	162356	230 x 68 mm	100 mm	2000 mm

ACCESSORIES**MANUAL OPERATOR MAXI 1 ***

With crank for operating the manual chain and sill mounted screwjack openers



Designation	Ident-No.
Manual operator Maxi 1 *	162413

OL Line – Chain opener 250 *



MANUAL OPERATOR MAXI 2 *

With crank for operating the manual chain and sill mounted screwjack openers



Designation	Ident-No.
Manual operator Maxi 2 *	162416
Manual operator Maxi 2 *	162415
Manual operator Maxi 2 *	162414

MANUAL OPERATOR MIDI 250 *

With crank for operating the manual chain, locking mechanism and fork and swivel openers



Designation	Ident-No.	Dimensions
Manual operator Midi 250 *	162409	385 x 105 x 45 mm
Manual operator Midi 250 *	162408	385 x 105 x 45 mm
Manual operator Midi 250 *	162407	385 x 105 x 45 mm

MANUAL OPERATOR MINI *

With crank for operating the manual chain, locking mechanism and fork and swivel openers



Designation	Ident-No.
Manual operator Mini *	162417

OL Line – Chain opener 250 *



* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.